



22 de febrero de 2005

Sr. Neil Watlington
Vicepresidente Desarrollo
AES-PR
PO Box 1890
Guayama, PR 00785

Estimado señor Watlington:

**Copia de los resultados de muestreo
AES-PR
Guayama, PR**

El 8 de febrero de 2005, se recibió una misiva solicitando copia de los resultados del muestreo que se realizó el 4 de enero de 2005, en la facilidad mencionada en el asunto por la compañía EQLAB Environmental Quality Laboratories, Inc. La toma de muestra que se realizó del área donde se encuentra el Agregado Manufacturado ("rock ash") para ser analizado para los parámetros de Full RCRA.

El 20 de enero de 2005, se recibieron los resultados del muestreo. Estos resultados indican que las concentraciones de los parámetros analizados por TCLP se encuentran bajo los niveles regulatorios. Adjunto copia de los resultados.

De tener cualquier duda sobre el particular, puede comunicarse con la Sra. María de los A. Ortiz, en la División de Permisos Desperdicios No Peligrosos, al (787) 767-8124.

Cordialmente,

Julio Iván Rodríguez Colón
Gerente
Control Contaminación de Terrenos

MAO/

JUNTA DE CALIDAD AMBIENTAL
 AREA EMERGENCIAS AMBIENTALES
 P.O. BOX 11488
 SAN JUAN, PR 00910-1488

Attn: ENG. JUAN J. BABA
 Source: ASH
 Project Name: RCRA
 Facility: ABS, GUAYAMA
 Description: SOLID - Multi grab
 Client Ref. #: N/A

Post-It Fax Note	7671	Date	1/19	# of pages	23
To	Mr. Diaz	From	Patricia		
Co./Dept	Quintad Caball	Co.	EqLab		
Phone #		Phone #			
Fax #	767-8118	Fax #	722-0380		

Laboratory Test Report

Sample Number:	650014	Collected Date & Time:	01/04/2005 09:30	Date of Report:	01/19/2005
Work Order:	1421-02-01	Received Date & Time:	01/04/2005 15:35	Collected By:	DDIAZ
Delivery Slip:	2005-00029	Temperature at Arrival:	3 °C	EqLab. Rep.:	JFUENTES
Folder Number:	60071			Proposal Number:	6101-1
Remarks:					

Parameter	Method	Results	Units	LOD	MCL	Analysis			Prep Method		
						Date	Time	By			
Ignitability	40CFR261.21	DN1	-	-	-	01/13/2005	14:20	ELAZARO	-	N/A	
* Arsenic - Total	EPA 6010.B	BDL	mg/L	0.005	-	01/12/2005	19:10	VILLANUEVA	01/10/2005	EMATHEWS	EPA 1311
* Barium - Total	EPA 6010.B	0.230	mg/L	0.005	100.0	01/12/2005	19:10	VILLANUEVA	01/10/2005	EMATHEWS	EPA 1311
* Cadmium - Total	EPA 6010.B	BDL	mg/L	0.002	1.0	01/12/2005	19:10	VILLANUEVA	01/10/2005	EMATHEWS	EPA 1311
* Chromium - Total	EPA 6010.B	0.028	mg/L	0.002	5.0	01/12/2005	19:10	VILLANUEVA	01/10/2005	EMATHEWS	EPA 1311
* Lead - Total	EPA 6010.B	BDL	mg/L	0.005	5.0	01/12/2005	19:10	VILLANUEVA	01/10/2005	EMATHEWS	EPA 1311
* Selenium - Total	EPA 6010.B	BDL	mg/L	0.005	1.0	01/12/2005	19:10	VILLANUEVA	01/10/2005	EMATHEWS	EPA 1311
* Silver - Total	EPA 6010.B	BDL	mg/L	0.002	5.0	01/12/2005	19:10	VILLANUEVA	01/10/2005	EMATHEWS	EPA 1311


* Mercury - Total	EPA 7470.A	BDL	mg/L	0.0004	0.2	01/13/2005	14:49	EMATHEWS	01/10/2005	EMATHEWS	EPA 1311
* Chloroform	EPA 8081A	ND	mg/L	0.003	0.03	01/10/2005	15:29	AACOSTA	01/07/2005	FMALDONA	EPA 1311
* Endrin	EPA 8081A	ND	mg/L	0.005	0.02	01/10/2005	15:29	AACOSTA	01/07/2005	FMALDONA	EPA 1311
* Gamma - BHC	EPA 8081A	ND	mg/L	0.005	0.4	01/10/2005	15:29	AACOSTA	01/07/2005	FMALDONA	EPA 1311
* Heptachlor	EPA 8081A	ND	mg/L	0.005	0.008	01/10/2005	15:29	AACOSTA	01/07/2005	FMALDONA	EPA 1311
* Heptachlor epoxide	EPA 8081A	ND	mg/L	0.005	0.008	01/10/2005	15:29	AACOSTA	01/07/2005	FMALDONA	EPA 1311
* Methoxychlor	EPA 8081A	ND	mg/L	0.010	10	01/10/2005	15:29	AACOSTA	01/07/2005	FMALDONA	EPA 1311
* Toxaphene	EPA 8081A	ND	mg/L	0.050	0.5	01/10/2005	15:29	AACOSTA	01/07/2005	FMALDONA	EPA 1311



The results presented herein meet all NELAP requirements
 ENVIRONMENTAL QUALITY LABORATORIES, INC. P.O. BOX 11458, SANTURCE, P.R. 00910-1458, TELS. 725-5333, 725-3708
 ND = Not Detected. MCL = Maximum Contaminant Level. BDL = Below Detection Limit. DN1 = Does Not Exceed 100% of Detection Limit. All results are calculated as a wet weight basis unless otherwise noted.
 EQ = Monitoring Only. All results are calculated as a wet weight basis unless otherwise noted.

JUNTA DE CALIDAD AMBIENTAL
 AREA EMERGENCIAS AMBIENTALES
 P.O. BOX 11488
 SAN JUAN, PR 00910-1488

Attn: ENG. JUAN J. BABA
 Source: ASH
 Project Name: RCRA
 Facility: AES, GUAYAMA
 Description: SOLID - Multi grab
 Client Ref.#: N/A



Laboratory Test Report

Sample Number: 650014 Date of Report: 01/19/2005
 Work Order: 1421-02-01 Collected By: DDIAZ
 Delivery Slip: 2005-00029 Date of Collection: 01/04/2005 15:35
 Folder Number: 60071 Temperature at Arrival: 3 °C
 Proposal Number: 6101-1

Remarks:


Parameter	Method	Results	Units	Limits		Analysis			Prep. Method		
				LOD	MCL	Date	Time	By	Date	By	Method
* 2,4,5-TP	EPA 8151A	ND	mg/L	0.01	1.0	01/11/2005	08:37	FFIGUEROA	01/10/2005	BCASTILLO	EPA 1311
* 2,4-D	EPA 8151A	ND	mg/L	0.1	10	01/11/2005	08:37	FFIGUEROA	01/10/2005	BCASTILLO	EPA 1311
* 1,1-Dichloroethene	EPA 8260B	ND	mg/L	0.10	0.7	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* 1,2-Dichloroethane	EPA 8260B	ND	mg/L	0.10	0.5	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* 1,4-Dichlorobenzene	EPA 8260B	ND	mg/L	0.10	7.5	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* 2-Butanone	EPA 8260B	ND	mg/L	1.00	200	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* Benzene	EPA 8260B	ND	mg/L	0.10	0.5	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* Carbon tetrachloride	EPA 8260B	ND	mg/L	0.10	0.5	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* Chlorobenzene	EPA 8260B	ND	mg/L	0.10	100	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* Chloroform	EPA 8260B	ND	mg/L	0.10	6.0	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* Tetrachloroethene	EPA 8260B	ND	mg/L	0.10	0.7	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* Trichloroethene	EPA 8260B	ND	mg/L	0.10	0.5	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* Vinyl chloride	EPA 8260B	ND	mg/L	0.10	0.2	01/10/2005	21:37	JHERNANDEZ	01/07/2005	FMALDONA	EPA 1311
* 2,4,5-Trichlorophenol	EPA 8270C	ND	mg/L	0.050	400	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311
* 2,4,6-Trichlorophenol	EPA 8270C	ND	mg/L	0.50	2.0	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311
* 2,4-Dinitrotoluene	EPA 8270C	ND	mg/L	0.10	0.13	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311

ND=Not Detected MCL=Maximum Contaminant Level RDL=Reference Dose (Not Upper) LOD=Limit of Detection NA=Not Applicable
 MCLs Monitoring Obj. All results are calculated on a wet weight basis unless otherwise stated.



JUNTA DE CALIDAD AMBIENTAL
 AREA EMERGENCIAS AMBIENTALES
 P.O. BOX 11488
 SAN JUAN, PR 00910-1488

Attn: ENC. JUAN J. BABA
 Source: ASH
 Project Name: RCRA
 Facility: AES, GUAYAMA
 Description: SOLID - Multi grab
 Client Ref. #: N/A



Laboratory Test Report

Page 3 of 3

Sample Number: 650014 Date of Report: 01/19/2005
 Work Order: 1421-02-01 Collected By: DDIAZ
 Delivery Slip: 2005-00029 Received Date & Time: 01/04/2005 15:35
 Temperature at Arrival: 3 °C Equilab Rep.: JFUENTES
 Folio Number: 60071 Proposal Number: 6101 - 1

Parameter	Method	Results	Units	Limits			Analysis			Prep. Method		
				LOD	MCL	Date	Date	Time	By	Date	By	Method
* Hexachlorobenzene	EPA 8270C	ND	mg/L	0.01	0.13	01/11/2005	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311
* Hexachlorobutadiene	EPA 8270C	ND	mg/L	0.25	0.50	01/11/2005	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311
* Hexachloroethane	EPA 8270C	ND	mg/L	0.20	3.0	01/11/2005	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311
* m,p-Cresol	EPA 8270C	ND	mg/L	1.0	200	01/11/2005	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311
* Nitrobenzene	EPA 8270C	ND	mg/L	1.5	2.0	01/11/2005	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311
* o-Cresol	EPA 8270C	ND	mg/L	1.0	200	01/11/2005	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311
* Pentachlorophenol	EPA 8270C	ND	mg/L	3.0	100	01/11/2005	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311
* Pyridine	EPA 8270C	ND	mg/L	1.0	5.0	01/11/2005	01/11/2005	23:03	LCRUZ	01/07/2005	FMALDONA	EPA 1311
Corrosivity, pH	EPA 9045C	11.92	S. U.	1.00	<2 ->12.5	01/04/2005	01/04/2005	16:00	MBENITEZ	-	-	N/A
Releasable Cyanide	SW 846 - 7.3.3	BDL	mg/Kg	1.0	250	01/12/2005	01/12/2005	16:30	MCALDERON	-	-	N/A
Releasable Sulfide	SW 846-7.3.4	BDL	mg/Kg	1.0	500	01/11/2005	01/11/2005	09:00	DSILVA	-	-	N/A



ENVIRONMENTAL QUALITY LABORATORIES, INC. P.O. BOX 11488, SANTURCE, P.R. 00910-1488
 Tel: (787) 722-0380 Fax: (787) 722-0380
 EPA 8210-G-03-001
 MCLs are only valid on a wet weight basis unless otherwise noted.
 MCLs are only valid on a wet weight basis unless otherwise noted.
 MCLs are only valid on a wet weight basis unless otherwise noted.
 MCLs are only valid on a wet weight basis unless otherwise noted.



The results presented herein meet all NELAP requirements